

5% SKEETER ABATE®



www.clarke.com

AN INSECTICIDE FOR CONTROL OF MOSQUITO AND MIDGE LARVAE

ACTIVE INGREDIENT

Temephos (O,O'-(thiodi-4, 1-phenylene) O,O,O'O'-tetramethyl phosphorothioate)	5%
Other Ingredients	95%
Total	100%

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

See Below for Additional Precautionary Statements

PRECAUTIONAL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For Medical Emergencies, call the International Poison Control Center at 1-800-214-7753.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If the person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIANS: This product may cause cholinesterase inhibition. Atropine is antidotal. Pralidoxime chloride (2-PAM; PROTOPAM chloride) may be effective as an adjunct to atropine. Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Warning. Causes substantial but temporary eye injury. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Harmful if inhaled. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE): Loaders, applicators and other handlers involved in ground applications, loaders and applicators involved in backpack blower applications must wear long-sleeved shirt and long pants, shoes and socks, chemical-resistant gloves and protective eyewear, such as goggles, or safety glasses. Aerial applicators and flaggers must wear long-sleeved shirt, long pants, shoes plus socks. Flaggers must wear chemical-resistant headgear and protective eyewear. All other loaders, applicators and handlers must wear coveralls over long-sleeved shirt and long pants, chemical-resistant gloves, chemical-resistant footwear plus socks, protective eyewear, such as goggles or safety glasses, and chemical-resistant headgear (if overhead exposure). Loaders supporting aerial applications must wear a dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C or a NIOSH-approved respirator with any M, R, P, or HE filter. In addition, loaders and cleaners of equipment must wear a chemical-resistant apron.

Engineering Controls: Pilots must use an enclosed cockpit and must wear

chemical resistant gloves when entering or leaving an aircraft contaminated by pesticide residues. Used gloves must be stored in a closed chemical resistant container, such as a plastic bag, to prevent contamination of the inside of the cockpit.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been heavily contaminated with this product. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms such as stoneflies, water fleas, and shrimp. Non-target aquatic organisms in waters treated with this product may be killed. Some populations reestablish rapidly, but diversity may be affected. Avoid use of maximum application rate in ecologically sensitive areas. Consult with the State agency with primary responsibility for regulating pesticides before applying to public waters to determine if a permit is needed. Do not contaminate water by cleaning of equipment or disposing of wastes. For information on endangered species consult EPA's website: www.epa.gov/espp/.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION RESTRICTIONS: For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform aquatic pesticide applications, or by persons under their direct supervision.

This product may be applied to non-potable water, standing water, moist areas, woodland pools, shallow ponds, edges of lakes, swamps, marshes, tidal waters, intertidal zones of sandy beaches, waters high in organic content, highly polluted water, and catch basins. Maximum application rates may be used only in waters high in organic content, mosquito habitats having deep water or dense surface cover, and where monitoring has confirmed a lack of control at typical rates. This product may not be reapplied within 7 days of the date of the initial application unless monitoring indicates that larval populations have reestablished, or weather conditions have rendered initial treatments ineffective. This product may be applied as a spot treatment to non-potable water, lakes, and ponds for control of midge larvae when monitoring indicates threshold levels have been exceeded.

For control of mosquito larvae, apply 5% SKEETER® ABATE® uniformly by conventional air or ground equipment as specified below. Application of this product by Belly-Grinder is prohibited.

Areas of Treatment	Lbs. per Acre	Lbs. a.i./acre
Non-potable water (stagnant, saline and temporary water bodies), standing water, moist areas, woodland pools, shallow ponds, edges of lakes	2	0.1
Swamps, marshes, tidal waters, intertidal zones, catch basins, and water high in organic content	4	0.2
Highly polluted water, waters high in organic content, areas demonstrated to have resistant mosquitoes, habitats having deep water or dense surface cover, or where monitoring has confirmed a lack of control at recommended application rates, and catch basins.	10	0.5

This product may also be applied prior to flooding as a pre-hatch application to areas which will breed mosquitoes.

Do not mix this product with water.

Application of this product by Belly-Grinder is prohibited.

Do not allow this product to drift.

AERIAL SPRAY DRIFT MANAGEMENT: Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential for spray drift. The applicator is responsible for considering all these factors when making decisions.

Do not use on crops used for food, forage or pasture.

To the extent consistent with applicable law, CLARKE MOSQUITO CONTROL PRODUCTS, INC. makes no warranty, express or implied, concerning the use of this product other than as indicated on the label. Buyer assumes all risk of use/handling of this material when use and/or handling is contrary to label instructions.

NET CONTENTS: lbs.

LOT NO.

*Registered trademark of BASF Corp.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Reseal opened containers immediately after using. If spill occurs, sweep up and apply product according to labeled directions. Store only in original containers, in a locked area, away from food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Manufactured by:

CLARKE MOSQUITO CONTROL PRODUCTS, INC.

159 N. GARDEN AVENUE

ROSELLE, ILLINOIS 60172

1-800-323-5727

EPA Reg. No. 8329-15

EPA Est. No. 8329-IL-01

AL0206